


المسفاة المتكاملة ش.م.م Al-Misfat Integrated LLC. SUCCESS BEYOND LIMITS



2023



CATALOG



NOMAD TENT HOTEL



TENSIONED MEMBRANE TENT HOTEL



SHELL TENT HOTEL



SQUARE TENT HOTEL



01 /Company

COMANY PROFILE	01
SALES ABILITY	02
HONOR	. 03
MATERIAL INTRODUCTION-	04
FABRIC	04

02 /Product

CARRIAGE HOTEL TENT	04
SHELL HOTEL TENT	05
SNAIL HOTEL TENT	06
CICADA CHRYSALIS HOTENT TENT	07
COCOON HOTEL TENT	08
DEW HOTEL TENT	09
LUORESCENT HOUSE HOTEL TENT	10
POLYGON HOTEL TENT	11
PUMPKIN HOTEL TENT	12
ANTENRN HOTEL TENT	13
CENYA HOTEL TENT	14
MALDIVES HOTEL TENT	15
DOME HOTEL TENT	16
PC STAR ROOM	17
DOME GLASS ROOM ·	18
CE CREAM HOTEL TENT	19
QUAD HOTEL TENT	20
SINGLE PEAK HOTEL TENT	21

TWIN-PEAK HOTEL TENT 23 PATTAYA HOTEL TENT **A-SHAPED NOMAD TENT** HILLTOP NOMAD TENT ·---- 26 ARC NOMAD TENT27 **DOUBLE NOMAD TENT** JUPITER NOMAD TENT T-SHAPED NOMAD 30 SAILBOAT NOMAD TENT **DIAMOND NOMAD TENT** VAULTED TENT 32 TRIANGULAR TENT **TIPI TENT** 35 **BELL TENT** LOTUS TENT MONOMER **CONJOINED INDIAN TENT** GEODESIC DOME TENT INTERIOR CONFIGURATION DESIGNS OF OUR EVENT DOME 41 OUR PROJECTS OVERTHE WORLD42

COMPANY PROFILE

ABOUT US

ALMISFAT INTEGRATED LLC HAS BEEN REMARKABLY PRESENT IN THE INDUSTRY FOR YEARS NOW, EXHIBITING PROFESSIONAL EXPERTISE IN THE MECHANICAL, ELECTRICAL, AND MANUFACTURING ASPECTS OF THE TRADING INDUSTRY AS A WHOLE.

WE STRIVE TO KEEP DELIVERING THE BEST PRODUCTS AND/OR SERVICES TO OUR CLIENTS AND THIS DEDICATION HAS, BY FAR, LED US TO MAINTAIN BETTER WORKING RELATIONSHIPS AND PARTNERSHIPS.

OUR COMPANY WAS BUILT ON A STRONG FOUNDATION OF RELIABILITY, QUALITY, DETERMINATION, AND PROFESSIONALISM. AMI HAS ENGINEERED ITS FIRM EXISTENCE TO BE THE MOST RELIABLE AND HIGH-QUALITY SOLUTION PROVIDER IN THIS SECTOR.

OUR MISSION

TO BE ABLE TO FURNISH OUR CLIENTS WITH HIGH-CALIBER PRODUCTS AND SERVICES, BEST SUITED TO THEIR NEEDS FOR COMPANY GROWTH AND DEVELOPMENT.

TO SUSTAIN THE WELL-BEING AND SUCCESS OF ALL EMPLOYEES AS A WHOLE, WHILE BEING THE TOP PROVIDER OF TARGETED SOLUTIONS TO OUR INTERNATIONAL PARTNERS AND BUSINESS COLLEAGUES.

OUR VISION

TO ACHIEVE THE HIGHEST LEVEL OF CUSTOMER SATISFACTION WITH THE BEST LINE OF PRODUCTS AND SERVICES MADE TO PROVIDE THE MOST APPROVABLE AND COMMENDABLE BUSINESS SYSTEM IN THE TRADING INDUSTRY.

TO ATTAIN EXCELLENCE IN GIVING OUR PARTNERS FAR MORE AND FAR
BETTER SOLUTIONS THAN THE REQUIREMENTS SET WITH EACH OF OUR
WORKING RELATIONSHIPS.


OUR VALUES

TO MAINTAIN PROFESSIONALISM IN THIS SECTOR AND COMPLIANCE WITH UPDATED STANDARDS, WHILE DELIVERING HIGH-CALIBER EXECUTION OF OUR FORMAL BUSINESS DEALINGS.

TO INCREASE THE COMPETENCE IN THE TRADING INDUSTRY BY SHOWING INNOVATIONS IN THE SYSTEM, THEREBY UPLIFTING THE QUALITY OF WORK AND ENHANCING THE AREAS THAT REQUIRE DEVELOPMENT AND FURTHER RESEARCH.

SALES ABILITY

HONOR



AMI MANUFACTURER
PRODUCT ALL OVER THE
WORLD SELL WELL IN
ASIA, EUROPE, AMERICA
AND OTHER COUNTRIES,
AND THE PRODUCTS ARE
SOLD AT HOME AND
ABROAD

AMI MANUFACTURER PRODUCT ARE SOLD NATIONWIDE

THE NEW TYPE OF INTERNET CELEBRITY HOTEL TENTS, WHICH CHANGE IN FOUR SEASONS AND HAVE DIFFERENT SCENERY, ARE DEEPLY LOVED BY SCENIC RESORTS.



MATERIAL INTRODUCTION-FABRIC



PVDF

1100G/M², DOUBLE-SIDED SURFACE SCRAPED PVDF WITH STRONG TENSILE FORCE, FLAME RETARDANT, MILDEW PROOF, SELF-CLEANING, WATERPROOF SERVICE LIFE OF MORE THAN 15 YEARS



PVC

850G/M², DOUBLE-SIDED SURFACE KNIFE SCRAPED PVC FLAME RETARDANT, MILDEW PROOF, SELF-CLEANING, WATERPROOF, WITH A SERVICE LIFE OF MORE THAN 10 YEARS



Q235/STEEL PIPE ROUND PIPE

HOT-DIP GALVANIZED SURFACE, OUTDOOR SPECIAL SPRAY PAINT TREATMENT, ANTI-RUST, STRONG, CAN WITHSTAND THE SUN AND RAIN, WITH A LIFESPAN OF MORE THAN 10 YEARS



Q235/STEEL PIPE SQUARE PASS

HOT-DIP GALVANIZED SURFACE, OUTDOOR SPECIAL SPRAY PAINT TREATMENT, ANTI-RUST, STRONG, CAN WITHSTAND THE SUN AND RAIN, WITH A LIFESPAN OF MORE THAN 10 YEARS



OXFORD CLOTH

1680D
1680D OXFORD CLOTH
HAS GOOD WEAR RESISTANCE, HIGH DENSITY,
FLAME RETARDANT, MILDEW PROOF,
WATERPROOF



CANVAS

≥750/630N, ≥5000/4700N;



6061-T6/AVIATION ALUMINUM

SURFACE OXIDATION TREATMENT, THICKENING AND THICKENING, HIGH HARDNESS, STRONG LOAD-BEARING, STRONG WIND RESISTANCE



GLUED SOLID WOOD/PRESERVED WOOD

SURFACE POLISHING, ANTI-CORROSION TREATMENT, OUTDOOR WEATHER-RESISTANT WOOD WAX OIL, NOT EASY TO HAVE CRACKS, LIFE CAN BE AS LONG AS 15 YEARS OR MORE



CARRIAGE HOTEL TENT



COLOUR	OFF WHITE, MULTI-COLOR OPTIONAL
ADVENTITIA	1680D ENCRYPTED OXFORD CLOTH
	WATERPROOF WATER PRESSURE (WP7000)
	UV PROTECTION (UV50+)
	FLAME RETARDANT GRADE: B1, M2
	ANTI-MILDEW, SELF-CLEANING
	USE PERIOD OF MORE THAN 5 YEARS
	Q235 STEEL PIPE
STRUCTURE	120*80*5MM+40*60*3MM
	GALVANIZED, PAINTED, ANTI-RUST
	TREATMENT
	USE PERIOD OF MORE THAN 15 YEARS
CTANDADD	WOODEN DOOR
STANDARD	STAIR
	WHEEL

SPAN (M): 2.4 / 3 LENGTH (M): 7.15 / 9.7



SHELL HOTEL TENT

COLOUR	WHITE, MULTI-COLOR OPTIONAL
ADVENTITIA	1100G/M² PVDF WATERPROOF WATER PRESSURE (WP7000) UV PROTECTION (UV50+)
	FLAME RETARDANT GRADE: B1, M2
	ANTI-MILDEW, SELF-CLEANING
	USE PERIOD OF MORE THAN 15 YEARS
STRUCTURE	Q235 STEEL PIPE
	100*80*3.5MM+40*40*3MM
	GALVANIZED, PAINTED, ANTI-RUST TREATMENT
	USE PERIOD OF MORE THAN 15 YEARS
STANDARD	ENTRY GLASS DOOR/WINDOW/WALL
	TEMPERED GLASS + ALUMINUM ALLOY
	FRAME
OPTIONAL	1: FLOOR LAYING
	2: WALL DECORATION
	3: PARTITION DECORATION
	4: BATHROOM
	5: WATER AND ELECTRICITY DECORATION
	6: SOFT DECORATION ORDER
	SPAN (M):5/7
	LENGTH (M): 8 / 9
	HEIGHT (M): 3.5 / 3.5
	INDOOR AREA: 26.5 / 50
	PLATFORM REFERENCE AREA (M2): 40 / 63





SNAIL HOTEL TENT



COLOUR WH	ITE, MULTI-COLOR OPTIONAL
-----------	---------------------------

ADVENTITIA 1100G/M² PVDF WATERPROOF WATER PRESSURE (WP7000) UV PROTECTION (UV50+) FLAME RETARDANT GRADE: B1, M2 ANTI-MILDEW, SELF-CLEANING USE PERIOD OF MORE THAN 15 YEARS

STRUCTURE Q235 STEEL PIPE
100*80*3.5MM+40*40*3MM
GALVANIZED, PAINTED, ANTI-RUST TREATMENT
USE PERIOD OF MORE THAN 15 YEARS

STANDARD	ENTRY GLASS DOOR/WINDOW/WALL
	TEMPERED GLASS + ALUMINUM ALLOY FRAME

OPTIONAL 1: FLOOR LAYING 2: WALL DECORATION 3: PARTITION DECORATION 4: BATHROOM DECORATION 5: WATER AND ELECTRICITY DECORATION 6: SOFT DECORATION ORDER

SPAN (M): 6 / 8
LENGTH (M): 7 / 9
HEIGHT (M): 3.3 / 3.4
INDOOR AREA: 26.5 / 50
PLATFORM REFERENCE AREA (M2): 42 / 72
SIZES CAN BE CUSTOMIZED*



CICADA CHRYSALIS HOTEL TENT



COLOUR WHITE	MULTI-COLOR OPTIONAL
--------------	----------------------

ADVENTITIA	1100G/M² PVDF
	WATERPROOF WATER PRESSURE (WP7000)
	UV PROTECTION (UV50+)
	FLAME RETARDANT GRADE: B1, M2
	ANTI-MILDEW, SELF-CLEANING
	USE PERIOD OF MORE THAN 15 YEARS

STRUCTURE

Q235 STEEL PIPE

100*80*3.5MM+40*40*3MM

GALVANIZED, PAINTED, ANTI-RUST TREATMENT

USE PERIOD OF MORE THAN 15 YEARS

STANDARD ENTRY GLASS DOOR/WINDOW/WALL TEMPERED GLASS + ALUMINUM ALLOY FRAME

OPTIONAL

1: FLOOR LAYING
2: WALL DECORATION
3: PARTITION DECORATION
4: BATHROOM DECORATION
5: WATER AND ELECTRICITY DECORATION
6: SOFT DECORATION ORDER

SPAN (M): 5

LENGTH (M): 9
HEIGHT (M): 3.5
INDOOR AREA: 40
PLATFORM REFERENCE AREA (M2): 60
SIZES CAN BE CUSTOMIZED*







COCOON HOTEL TENT

COLOUR WHITE, MULTI-COLOR OPTIONAL

ADVENTITIA 1100G/M² PVDF

WATERPROOF WATER PRESSURE (WP7000)

UV PROTECTION (UV50+)

FLAME RETARDANT GRADE: B1, M2

ANTI-MILDEW, SELF-CLEANING

USE PERIOD OF MORE THAN 15 YEARS

STRUCTURE Q235 STEEL PIPE

80*60*3.5MM

GALVANIZED, PAINTED, ANTI-RUST TREATMENT

USE PERIOD OF MORE THAN 15 YEARS

STANDARD ENTRY GLASS DOOR/WINDOW/WALL

TEMPERED GLASS + ALUMINUM ALLOY FRAME

OPTIONAL 1: FLOOR LAYING

2: WALL DECORATION

3: PARTITION DECORATION

4: BATHROOM DECORATION

5: WATER AND ELECTRICITY DECORATION

6: SOFT DECORATION ORDER

SPAN (M): 4

LENGTH (M): 10

HEIGHT (M): 3.4

INDOOR AREA: 40

PLATFORM REFERENCE AREA (M2): 50



DEW HOTEL TENT



COLOUR WHITE, M	ULTI-COLOR OPTIONAL
-----------------	---------------------

ADVENTITIA 1100G/M² PVDF

WATERPROOF WATER PRESSURE (WP7000)

UV PROTECTION (UV50+)

FLAME RETARDANT GRADE: B1, M2

ANTI-MILDEW, SELF-CLEANING

USE PERIOD OF MORE THAN 15 YEARS

STRUCTURE Q235 STEEL PIPE

100*80*3.5MM+40*40*3MM

GALVANIZED, PAINTED, ANTI-RUST TREATMENT

USE PERIOD OF MORE THAN 15 YEARS

STANDARD ENTRY GLASS DOOR/WINDOW/WALL

TEMPERED GLASS + ALUMINUM ALLOY FRAME

OPTIONAL

1: FLOOR LAYING

2: WALL DECORATION

3: PARTITION DECORATION

4: BATHROOM DECORATION

5: WATER AND ELECTRICITY DECORATION

6: SOFT DECORATION ORDER

SPAN (M): 6

LENGTH (M):7

HEIGHT (M):3

INDOOR AREA: 34

PLATFORM REFERENCE AREA (M2): 60



FLUORESCENT HOUSE HOTEL TENT



ADVENTITIA 1100G/M² PVDF WATERPROOF WATER PRESSURE (WP7000)

UV PROTECTION (UV50+)
FLAME RETARDANT GRADE: B1, M2
ANTI-MILDEW, SELF-CLEANING
USE PERIOD OF MORE THAN 15 YEARS

STRUCTURE Q235 STEEL PIPE 100*80*3.5MM+40*40*3MM

GALVANIZED, PAINTED, ANTI-RUST TREATMENT USE PERIOD OF MORE THAN 15 YEARS

STANDARD ENTRY GLASS DOOR/WINDOW/WALL
TEMPERED GLASS + ALUMINUM ALLOY FRAME

OPTIONAL 1: FLOOR LAYING

2: WALL DECORATION

3: PARTITION DECORATION
4: BATHROOM DECORATION

5: WATER AND ELECTRICITY DECORATION

6: SOFT DECORATION ORDER

SPAN (M): 6

LENGTH (M): 10

HEIGHT (M): 3.6

INDOOR AREA: 47

PLATFORM REFERENCE AREA (M2): 80







POLYGON HOTEL TENT

COLOUR WHITE, MULTI-COLOR OPTIONAL

ADVENTITIA 1100G/M² PVDF

WATERPROOF WATER PRESSURE (WP7000)

UV PROTECTION (UV50+)

FLAME RETARDANT GRADE: B1, M2

ANTI-MILDEW, SELF-CLEANING

USE PERIOD OF MORE THAN 15 YEARS

STRUCTURE Q235 STEEL PIPE

80*60*3.5MM

GALVANIZED, PAINTED, ANTI-RUST TREATMENT

USE PERIOD OF MORE THAN 15 YEARS

STANDARD ENTRY GLASS DOOR/WINDOW/WALL

TEMPERED GLASS + ALUMINUM ALLOY FRAME

OPTIONAL 1: FLOOR LAYING

2: WALL DECORATION

3: PARTITION DECORATION

4: BATHROOM DECORATION

5: WATER AND ELECTRICITY DECORATION

6: SOFT DECORATION ORDER

SPAN (M): 6

LENGTH (M): 6

HEIGHT (M): 4.2

INDOOR AREA: 34

PLATFORM REFERENCE AREA (M2): 54



PUMPKIN HOTEL TENT



COLOUR WHITE, MULTI-COLOR OPTIONAL

ADVENTITIA 1100G/M² PVDF
WATERPROOF WATER PRESSURE (WP7000)

UV PROTECTION (UV50+)
FLAME RETARDANT GRADE: B1, M2
ANTI-MILDEW, SELF-CLEANING
USE PERIOD OF MORE THAN 15 YEARS

STRUCTURE Q235 STEEL PIPE

100*80*3.5MM+40*40*3MM

GALVANIZED, PAINTED, ANTI-RUST TREATMENT USE PERIOD OF MORE THAN 15 YEARS

STANDARD ENTRY GLASS DOOR/WINDOW/WALL
TEMPERED GLASS + ALUMINUM ALLOY FRAME

OPTIONAL

1: FLOOR LAYING

2: WALL DECORATION

3: PARTITION DECORATION

4: BATHROOM DECORATION

5: WATER AND ELECTRICITY DECORATION

6: SOFT DECORATION ORDER

DIAMETER (M): 7

HEIGHT (M): 3.5

INDOOR AREA:38

PLATFORM REFERENCE AREA (M2): 50



LANTERN HOTEL TENT



COLOUR	WHITE, MULTI-COLOR OPTIONAL
ADVENTITIA	1100G/M ² PVDF

WATERPROOF WATER PRESSURE (WP7000)
UV PROTECTION (UV50+)
FLAME RETARDANT GRADE: B1, M2
ANTI-MILDEW, SELF-CLEANING

USE PERIOD OF MORE THAN 15 YEARS

STRUCTURE Q235 STEEL PIPE 100*80*3.5MM+40*40*3MM

GALVANIZED, PAINTED, ANTI-RUST TREATMENT USE PERIOD OF MORE THAN 15 YEARS

STANDARD ENTRY GLASS DOOR/WINDOW/WALL
TEMPERED GLASS + ALUMINUM ALLOY FRAME

OPTIONAL

1: FLOOR LAYING

2: WALL DECORATION

3: PARTITION DECORATION

4: BATHROOM DECORATION

5: WATER AND ELECTRICITY DECORATION

6: SOFT DECORATION ORDER

DIAMETER (M): 7 HEIGHT (M): 3.5 INDOOR AREA: 38

PLATFORM REFERENCE AREA (M2): 50



KENYA HOTEL TENT



COLOUR	WHITE, MULTI-COLOR OPTIONAL
ADVENTITIA	1100G/M² PVDF
	WATERPROOF WATER PRESSURE (WP7000)
	UV PROTECTION (UV50+)
	FLAME RETARDANT GRADE: B1, M2
	ANTI-MILDEW, SELF-CLEANING
	USE PERIOD OF MORE THAN 15 YEARS
STRUCTURE	Q235 STEEL PIPE
	GALVANIZED, PAINTED, ANTI-RUST TREATMENT
	USE PERIOD OF MORE THAN 15 YEARS
WALL	HARD WALL/GLASS WALL/SOFT CLOTH WALL
OPTIONAL	1: FLOOR LAYING
	2: WALL DECORATION
	3: PARTITION DECORATION
	4: BATHROOM DECORATION
	5: WATER AND ELECTRICITY DECORATION
	6: SOFT DECORATION ORDER
	SPAN (M): 8
	LENGTH (M): 11
	HEIGHT (M): 4.5
	INDOOR AREA: 30
	PLATFORM REFERENCE AREA (M2): 35
	SIZES CAN BE CUSTOMIZED*



MALDIVES HOTEL TENT



COLOUR V	WHITE, MULTI-COLOR OPTIONAL
----------	-----------------------------


1100G/M² PVDF **ADVENTITIA WATERPROOF WATER PRESSURE (WP7000) UV PROTECTION (UV50+)** FLAME RETARDANT GRADE: B1, M2 **ANTI-MILDEW, SELF-CLEANING USE PERIOD OF MORE THAN 15 YEARS**

STRUCTURE	Q235 STEEL PIPE
	Ф 219*6ММ
	GALVANIZED, PAINTED, ANTI-RUST TREATMENT
	USE PERIOD OF MORE THAN 15 YEARS

STANDARD	ENTRY GLASS DOOR/WINDOW
	TEMPERED GLASS + ALUMINUM ALLOY FRAME
	WALL
	LIGHT STEEL KEEL + EXTERIOR WALL PANEL + INTERIOR PANEL

OPTIONAL 1: FLOOR LAYING 2: WALL DECORATION **3: PARTITION DECORATION 4: BATHROOM DECORATION** 5: WATER AND ELECTRICITY DECORATION **6: SOFT DECORATION ORDER SPAN (M):8 INDOOR AREA:30 LENGTH (M): 11** PLATFORM REFERENCE AREA (M2): 35 SIZES CAN BE CUSTOMIZED*

HEIGHT (M): 4.5



DOME HOTEL TENT



COLOUR	WHITE, MULTI-COLOR OPTIONAL
--------	-----------------------------

ADVENTITIA

1100G/M² PVDF

WATERPROOF WATER PRESSURE (WP7000)

UV PROTECTION (UV50+)

FLAME RETARDANT GRADE: B1, M2

ANTI-MILDEW
USE PERIOD OF MORE THAN 5 YEARS

STRUCTURE

Q235 STEEL PIPE

Ф26*2MM

GALVANIZED, PAINTED, ANTI-RUST TREATMENT

USE PERIOD OF MORE THAN 5 YEARS

STANDARD SINGLE GLASS DOOR

OPTIONAL

1: FLOOR LAYING

2: WALL DECORATION

3: PARTITION DECORATION


4: BATHROOM DECORATION

5: WATER AND ELECTRICITY DECORATION

6: SOFT DECORATION ORDER

DIAMETER (M): 5 / 6 / 7
HEIGHT (M): 2.95 / 3 / 3.5
INDOOR AREA: 20 / 28 / 39

PLATFORM REFERENCE AREA (M2): 50 / 64 / 80





PC STAR ROOM



CO	LOU	R	T	R	ΑN	12	P	۱R	EN	IT	

ADVENTITIA PC BOARD

4-10MM THICK

WATERPROOF WATER PRESSURE (WP7000)

UV PROTECTION (UV50+)

SELF-CLEANING

USE PERIOD OF MORE THAN 10 YEARS

STRUCTURE

HIGH STRENGTH AVIATION ALUMINUM ALLOY

SURFACE OXIDATION TREATMENT

STRONG WIND RESISTANCE

USE PERIOD OF MORE THAN 10 YEARS

STANDARD

SINGLE GLASS DOOR

OPTIONAL

1: FLOOR LAYING

2: WALL DECORATION

3: PARTITION DECORATION

4: BATHROOM DECORATION

5: WATER AND ELECTRICITY DECORATION

6: SOFT DECORATION ORDER

DIAMETER (M): 4/5/6

HEIGHT (M): 2.7 / 3 / 3.5

INDOOR AREA: 12.56 / 19.63 / 28.26

PLATFORM REFERENCE AREA (M2): 20 / 30 / 40



DOME GLASS ROOM



COLOUR BLUE, TRANSPARENT, ETC., MULTI-COLOR OPTIONAL

ADVENTITIA TEMPERED GLASS

WATERPROOF WATER PRESSURE (WP7000)

UV PROTECTION (UV50+)

FLAME RETARDANT GRADE: B1, M2

SELF-CLEANING

USE PERIOD OF MORE THAN 20 YEARS

STRUCTURE

HIGH STRENGTH ALUMINUM ALLOY T6061

SURFACE OXIDATION TREATMENT

STRONG WIND RESISTANCE

USE PERIOD OF MORE THAN 20 YEARS

STANDARD SINGLE GLASS DOOR

OPTIONAL

1: FLOOR LAYING

2: WALL DECORATION

3: PARTITION DECORATION

4: BATHROOM DECORATION

5: WATER AND ELECTRICITY DECORATION

6: SOFT DECORATION ORDER

DIAMETER (M): 5 / 6 / 7

HEIGHT (M): 2.95 / 3 / 3.5

INDOOR AREA: 20 / 28 / 39

PLATFORM REFERENCE AREA (M2): 50 / 64 / 80

SIZES CAN BE CUSTOMIZED*



ICE CREAM HOTEL TENT



COLOUR WHITE, MULTI-COLOR OPTIONAL

ADVENTITIA 1100G/M² PVDF+TEMPERED GLASS WATERPROOF WATER PRESSURE (WP7000)

UV PROTECTION (UV50+)
FLAME RETARDANT GRADE: B1, M2

ANTI-MILDEW

USE PERIOD OF MORE THAN 5 YEARS

STRUCTURE Q235 STEEL PIPE

Ф**26*2ММ**

GALVANIZED, PAINTED, ANTI-RUST TREATMENT USE PERIOD OF MORE THAN 15 YEARS

STANDARD SINGLE GLASS DOOR

OPTIONAL 1: FLOOR LAYING

2: WALL DECORATION

3: PARTITION DECORATION

4: BATHROOM DECORATION

5: WATER AND ELECTRICITY DECORATION

6: SOFT DECORATION ORDER

FIRST FLOOR DIAMETER (M): 4.5 / 5.5 / 6.5

SECOND FLOOR DIAMETER (M): 6/7/8

SECOND FLOOR HIGH (M): 2.8 / 3 / 3

TOP HEIGHT (M): 6.3 / 7.1 / 7.7

FIRST FLOOR AREA (M2): 15 / 22 / 31

SECOND FLOOR AREA (M2): 28/38/50





QUAD TENT HOTEL

COLOUR	WHITE, MULTI-COLOR OPTIONAL
ADVENTITIA	1100G/M² PVDF
	WATERPROOF WATER PRESSURE (WP7000)
	UV PROTECTION (UV50+)
	FLAME RETARDANT GRADE: B1, M2
	ANTI-MILDEW, SELF-CLEANING
	USE PERIOD OF MORE THAN 15 YEARS
NTERNAL ACCOUNT	CANVAS/OXFORD
	WATERPROOF WATER PRESSURE (WP5000)
	UV PROTECTION (UV50+)
	FLAME RETARDANT BI
	ANTI-MILDEW, ANTI-MOSQUITO
TRUCTURE	Q235 STEEL PIPE
	GALVANIZED, PAINTED, ANTI-RUST TREATMENT
	USE PERIOD OF MORE THAN 15 YEARS
TANDARD	ENTRY GLASS DOOR/WINDOW/WALL
	TEMPERED GLASS + ALUMINUM ALLOY FRAME
NDT101141	1: FLOOR LAYING
OPTIONAL	2: WALL DECORATION
	3: PARTITION DECORATION
	4: BATHROOM DECORATION
	5: WATER AND ELECTRICITY DECORATION
	6: SOFT DECORATION ORDER
	SPAN (M):5/6
	LENGTH (M): 5 / 6
	HEIGHT (M): 3.6 / 3.6
	INDOOR AREA: 25 / 36
	PLATFORM REFERENCE AREA (M2): 40 / 54
	SIZES CAN BE CUSTOMIZED*
	7.115 7 DE 9991 91.11EES





SINGLE PEAK HOTEL TENT



WHITE, MULTI-COLOR OPTIONAL **COLOUR**

1100G/M² PVDFWATERPROOF WATER PRESSURE (WP7000) **ADVENTITIA**

> **UV PROTECTION (UV50+)** FLAME RETARDANT GRADE: B1, M2 **ANTI-MILDEW, SELF-CLEANING**

USE PERIOD OF MORE THAN 15 YEARS

STRUCTURE Q235 STEEL PIPE

100*80*3.5MM+40*40*3MM

GALVANIZED, PAINTED, ANTI-RUST TREATMENT

USE PERIOD OF MORE THAN 15 YEARS

HARD WALL/GLASS WALL/SOFT CLOTH WALL WALL

OPTIONAL 1: FLOOR LAYING

2: WALL DECORATION

3: PARTITION DECORATION

4: BATHROOM DECORATION

5: WATER AND ELECTRICITY DECORATION

6: SOFT DECORATION ORDER

DIAMETER (M):6/8/10

PLATFORM REFERENCE AREA (M2): 40 / 68 / 102

SIDE HEIGHT (M): 2.5 / 2.5 / 2.5 TOP HEIGHT (M): 5.7 / 6.3 / 7.7

SIZES CAN BE CUSTOMIZED*

INDOOR AREA (M2): 24 / 40 / 62

SHADOW AREA (M2): 52 / 78 / 110





TWIN-PEAK HOTEL TENT



COLOUR	WHITE, MULTI-COLOR OPTIONAL
ADVENTITIA	1100G/M² PVDF
	WATERPROOF WATER PRESSURE (WP7000)
	UV PROTECTION (UV50+)
	FLAME RETARDANT GRADE: B1, M2
	ANTI-MILDEW, SELF-CLEANING
	USE PERIOD OF MORE THAN 15 YEARS
STRUCTURE	Q235 STEEL PIPE
	100*80*3.5MM+40*40*3MM
	GALVANIZED, PAINTED, ANTI-RUST TREATMENT
	USE PERIOD OF MORE THAN 15 YEARS
WALL	HARD WALL/GLASS WALL/SOFT CLOTH WALL
OPTIONAL	1: FLOOR LAYING

OPTIONAL

1: FLOOR LAYING

2: WALL DECORATION

3: PARTITION DECORATION

4: BATHROOM DECORATION

5: WATER AND ELECTRICITY DECORATION

6: SOFT DECORATION ORDER

DIAMETER (M): 6 / 8 / 10 PLATFORM REFERENCE AREA (M2): 40 / 68 / 102

LENGTH (M): 15 / 21 / 26 SIZES CAN BE CUSTOMIZED*

SIDE HEIGHT (M): 2.5 / 2.5 / 2.5 TOP HEIGHT (M): 5.7 / 6.3 / 7.7 INDOOR AREA (M2): 24 / 40 / 62



PATTAYA HOTEL TENT



COLOUR.	ARMY GREEN/DARK KHAKI, ETC., MULTI-COLOR OPTIONAL
CANOPY	PVC/CANVAS/OXFORD
	WATERPROOF WATER PRESSURE (WP7000)
	UV PROTECTION (UV50+)
	FLAME RETARDANT BI
	MILDEW PROOF
INTERNAL ACCOUNT	PVC/CANVAS/OXFORD
	WATERPROOF WATER PRESSURE (WP5000)
	UV PROTECTION (UV50+)
	FLAME RETARDANT B1
	ANTI-MILDEW, ANTI-MOSQUITO
STRUCTURE	O235 STEEL PIPE

OPTIONAL

1: FLOOR LAYING
2: WALL DECORATION
3: PARTITION DECORATION
4: BATHROOM DECORATION
5: WATER AND ELECTRICITY DECORATION
6: SOFT DECORATION ORDER

SPAN (M): 5 / 6
LENGTH (M): 5 / 6
HEIGHT (M): 3.95 / 4.95
INDOOR AREA: 25 / 36
PLATFORM REFERENCE AREA (M2): 35 / 54
SIZES CAN BE CUSTOMIZED*



A-SHAPED NOMAD TENT



COLOUR	ARMY GREEN/DARK KHAKI, ETC., MULTI-COLOR OPTIONAL
	CANOPY850G PVC
	WATERPROOF WATER PRESSURE (WP7000)
	UV PROTECTION (UV50+)
	FLAME RETARDANT BI
	MILDEW PROOF
INTERNAL ACCOUNT	CANVAS/OXFORD
	WATERPROOF WATER PRESSURE (WP5000)
	UV PROTECTION (UV50+)
	FLAME RETARDANT BI
	ANTI-MILDEW, ANTI-MOSQUITO
STRUCTURE	Q235 STEEL PIPE/ROUND SOLID WOOD OPTIONAL
OPTIONAL	1: FLOOR LAYING
	2: WALL DECORATION
	3: PARTITION DECORATION
	4: BATHROOM DECORATION
	5: WATER AND ELECTRICITY DECORATION
	6: SOFT DECORATION ORDER
	SPAN (M):5/5
	LENGTH (M): 7/9
	HEIGHT (M): 3.6 / 3.6
	INDOOR AREA: 25 / 35
	PLATFORM REFERENCE AREA (M2): 35 / 45
	SIZES CAN BE CUSTOMIZED*
	SIZES CAN BE CUSTUMIZED"







HILLTOP NOMAD TENT



COLOUR	ARMY GREEN/DARK KHAKI, ETC., MULTI-COLOR
	OPTIONAL CANOPY850G PVC
	WATERPROOF WATER PRESSURE (WP7000)
	UV PROTECTION (UV50+)
	FLAME RETARDANT BI
	MILDEW PROOF
INTERNAL ACCOUNT	CANVAS/OXFORD
	WATERPROOF WATER PRESSURE (WP5000)
	UV PROTECTION (UV50+)
	FLAME RETARDANT BI
	ANTI-MILDEW, ANTI-MOSQUITO
STRUCTURE	Q235 STEEL PIPE/ROUND SOLID WOOD OPTIONAL
OPTIONAL	1: FLOOR LAYING
	2: WALL DECORATION
	3: PARTITION DECORATION
	4: BATHROOM DECORATION
	5: WATER AND ELECTRICITY DECORATION
	6: SOFT DECORATION ORDER
	SPAN (M): 5 / 5
	LENGTH (M) : 7 / 9
	HEIGHT (M): 3.6 / 3.6
	INDOOR AREA: 25 / 35
	PLATFORM REFERENCE AREA (M2): 35 / 45
	SIZES CAN BE CUSTOMIZED*



ARC NOMAD TENT



COLOUR	ARMY GREEN/DARK KHAKI, ETC., MULTI-COLOR
OPTIONAL	CANOPY850G PVC
	WATERPROOF WATER PRESSURE (WP7000)
	UV PROTECTION (UV50+)
	FLAME RETARDANT BI
MILDEW PROOF	
INTERNAL ACCOUNT	CANVAS/OXFORD
	WATERPROOF WATER PRESSURE (WP5000)
	UV PROTECTION (UV50+)
	FLAME RETARDANT BI
	ANTI-MILDEW, ANTI-MOSQUITO
STRUCTURE	Q235 STEEL PIPE
	40*60*2MM
OPTIONAL	1: FLOOR LAYING
	2: WALL DECORATION
	3: PARTITION DECORATION
	4: BATHROOM DECORATION
	5: WATER AND ELECTRICITY DECORATION
	6: SOFT DECORATION ORDER
	SPAN (M):5/5
	LENGTH (M): 7/9
	HEIGHT (M): 3.6 / 3.6
	INDOOR AREA: 25 / 35
	PLATFORM REFERENCE AREA (M2): 35 / 45
	• •
	SIZES CAN BE CUSTOMIZED*







DOUBLE NOMAD TENT

COLOUR	ARMY GREEN/DARK KHAKI, ETC., MULTI-COLOR
OPTIONAL	CANOPY850G PVC
	WATERPROOF WATER PRESSURE (WP7000)
	UV PROTECTION (UV50+)
	FLAME RETARDANT BI
	MILDEW PROOF
INTERNAL ACCOUNT	CANVAS/OXFORD
	WATERPROOF WATER PRESSURE (WP5000)
	UV PROTECTION (UV50+)
	FLAME RETARDANT BI
	ANTI-MILDEW, ANTI-MOSQUITO
STRUCTURE	Q235 STEEL PIPE/ROUND SOLID WOOD OPTIONAL
OPTIONAL	1: FLOOR LAYING
	2: WALL DECORATION
	3: PARTITION DECORATION
	4: BATHROOM DECORATION
	5: WATER AND ELECTRICITY DECORATION
	6: SOFT DECORATION ORDER
	SPAN (M) : 5 / 5
	LENGTH (M): 7/9
	HEIGHT (M): 5.5 / 5.5
	INDOOR AREA: 50 / 70
	_
	PLATFORM REFERENCE AREA (M2): 35 / 45
	SIZES CAN BE CUSTOMIZED*







JUPITER NOMAD TENT



COLOUR	ARMY GREEN/DARK KHAKI, ETC., MULTI-COLOR OPTIONAL
CANOPY	850G PVC
	WATERPROOF WATER PRESSURE (WP7000)
	UV PROTECTION (UV50+)
	FLAME RETARDANT BI
	MILDEW PROOF
INTERNAL ACCOUNT	CANVAS/OXFORD
	WATERPROOF WATER PRESSURE (WP5000)
	UV PROTECTION (UV50+)
	FLAME RETARDANT BI
	ANTI-MILDEW, ANTI-MOSQUITO
STRUCTURE	Q235 STEEL PIPE/ROUND SOLID WOOD OPTIONAL
OPTIONAL	1: FLOOR LAYING
	2: WALL DECORATION
	3: PARTITION DECORATION
	4: BATHROOM DECORATION
	5: WATER AND ELECTRICITY DECORATION
	6: SOFT DECORATION ORDER
	SPAN (M):5/5
	LENGTH (M):7/9
	HEIGHT (M): 3.6 / 3.6

PLATFORM REFERENCE AREA (M2): 35 / 45



T-SHAPED NOMAD TENT



COLOUR	ARMY GREEN/DARK KHAKI, ETC., MULTI-COLOR OPTIONAL
CANOPY	850G PVC
	WATERPROOF WATER PRESSURE (WP7000)
	UV PROTECTION (UV50+)
	FLAME RETARDANT B1
	MILDEW PROOF
INTERNAL ACCOUNT	CANVAS/OXFORD
	WATERPROOF WATER PRESSURE (WP5000)
	UV PROTECTION (UV50+)
	FLAME RETARDANT B1
	ANTI-MILDEW, ANTI-MOSQUITO
STRUCTURE	Q235 STEEL PIPE/ROUND SOLID WOOD OPTIONAL

OPTIONAL

1: FLOOR LAYING

2: WALL DECORATION

3: PARTITION DECORATION

4: BATHROOM DECORATION

5: WATER AND ELECTRICITY DECORATION

6: SOFT DECORATION ORDER

INDOOR AREA: 5*9
TERRACE SIZE (M): 3*5
HEIGHT (M): 4

INDOOR AREA (M2): 45

PLATFORM REFERENCE AREA (M2): 60



SAILBOAT NOMAD TENT



COLOUR	OFF WHITE/DARK KHAKI, ETC., MULTI-COLOR OPTIONAL
CANOPY	850G PVC
	WATERPROOF WATER PRESSURE (WP7000)
	UV PROTECTION (UV50+)
	FLAME RETARDANT BI
	MILDEW PROOF
INTERNAL ACCOUNT	CANVAS/OXFORD
	WATERPROOF WATER PRESSURE (WP5000)
	UV PROTECTION (UV50+)
	FLAME RETARDANT BI
	ANTI-MILDEW, ANTI-MOSQUITO
STRUCTURE	Q235 STEEL PIPE/ROUND SOLID WOOD OPTIONAL

OPTIONAL

1: FLOOR LAYING
2: WALL DECORATION
3: PARTITION DECORATION
4: BATHROOM DECORATION
5: WATER AND ELECTRICITY DECORATION
6: SOFT DECORATION ORDER

SPAN (M): 5 / 5
LENGTH (M): 7 / 9
HEIGHT (M): 3.6 / 3.6
INDOOR AREA: 25 / 35
PLATFORM REFERENCE AREA (M2): 35 / 45
SIZES CAN BE CUSTOMIZED*



LUXURY NOMAD TENT



COLOUR	ARMY GREEN/DARK KHAKI, ETC., MULTI-COLOR OPTIONAL
CANOPY	850G PVC
	WATERPROOF WATER PRESSURE (WP7000)
	UV PROTECTION (UV50+)
	FLAME RETARDANT BI
	MILDEW PROOF
INTERNAL ACCOUNT	CANVAS/OXFORD
	WATERPROOF WATER PRESSURE (WP5000)
	UV PROTECTION (UV50+)
	FLAME RETARDANT BI
	ANTI-MILDEW, ANTI-MOSQUITO
STRUCTURE	Q235 STEEL PIPE/ROUND SOLID WOOD OPTIONAL
OPTIONAL	1: FLOOR LAYING
	2: WALL DECORATION
	3: PARTITION DECORATION
	4: BATHROOM DECORATION
	5: WATER AND ELECTRICITY DECORATION
	6: SOFT DECORATION ORDER
	SPAN (M) : 5 / 5
	LENGTH (M): 7/9
	HEIGHT (M): 3.6 / 3.6
	INDOOR AREA: 25 / 35
	PLATFORM REFERENCE AREA (M2): 35 / 45
	SIZES CAN BE CUSTOMIZED*







VAULTED NOMAD TENT



COLOUR	ARMY GREEN/DARK KHAKI, ETC., MULTI-COLOR OPTIONAL
CANOPY	850G PVC
	WATERPROOF WATER PRESSURE (WP7000)
	UV PROTECTION (UV50+)
	FLAME RETARDANT BI
	MILDEW PROOF
NTERNAL ACCOUNT	CANVAS/OXFORD
	WATERPROOF WATER PRESSURE (WP5000)
	UV PROTECTION (UV50+)
	FLAME RETARDANT BI
	ANTI-MILDEW, ANTI-MOSQUITO
STRUCTURE	Q235 STEEL PIPE
OPTIONAL	1: FLOOR LAYING
	2: WALL DECORATION
	3: PARTITION DECORATION
	4: BATHROOM DECORATION
	5: WATER AND ELECTRICITY DECORATION
	6: SOFT DECORATION ORDER
	SPAN (M):5/5
	LENGTH (M):7/9
	HEIGHT (M): 3.6 / 3.6
	INDOOR AREA : 25 / 35
	PLATFORM REFERENCE AREA (M2): 35 / 45
	SIZES CAN BE CUSTOMIZED*







TRIANGULAR TENT



COLOUR KHAKI, MULTI-COLOR OPTIONAL

ADVENTITIA PVC/OXFORD/CANVAS

WATERPROOF WATER PRESSURE (WP7000)

UV PROTECTION (UV50+)

FLAME RETARDANT GRADE: B1, M2

ANTI-MILDEW

USE PERIOD OF MORE THAN 5 YEARS

STRUCTURE Q235 STEEL PIPE/ROUND SOLID WOOD

GALVANIZED, PAINTED, ANTI-RUST TREATMENT

USE PERIOD OF MORE THAN 15 YEARS

OPTIONAL 1: FLOOR LAYING

2: WALL DECORATION

3: PARTITION DECORATION

4: BATHROOM DECORATION

5: WATER AND ELECTRICITY DECORATION

6: SOFT DECORATION ORDER

SPAN (M):3/4

LENGTH (M): 4/6


HEIGHT (M): 3.5 / 4

INDOOR AREA: 12/24

PLATFORM REFERENCE AREA (M2):15/30







COLOUR WHITE, MULTI-COLOR OPTIONAL

ADVENTITIA PVC/OXFORD/CANVAS

WATERPROOF WATER PRESSURE (WP7000)

UV PROTECTION (UV50+)

FLAME RETARDANT GRADE: B1, M2

ANTI-MILDEW

USE PERIOD OF MORE THAN 5 YEARS

STRUCTURE ROUND SOLID WOOD \$\phi70/120*5300MM\$

OPTIONAL 1: FLOOR LAYING

2: WALL DECORATION

3: PARTITION DECORATION

4: BATHROOM DECORATION

5: WATER AND ELECTRICITY DECORATION

6: SOFT DECORATION ORDER

DIAMETER (M): 6

HIGH EAVES (M): 2

TOP HEIGHT (M): 4


INDOOR AREA (M2): 28.26

PLATFORM REFERENCE AREA (M2): 40





BELL TENT



COLOUR OFF WHITE, MULTI-COLOR OPTIONAL

ADVENTITIA ACCOUNT

300GSM POLYESTER COTTON, PU COATING, WATERPROOF

TENT BOTTOM

540GSM, CRACK RESISTANT PVC, WATERPROOF

STRUCTURE Q235 STEEL PIPE

Ф**32*1.2ММ**

OPTIONAL 1: FLOOR LAYING

2: WALL DECORATION

3: PARTITION DECORATION

4: BATHROOM DECORATION

5: WATER AND ELECTRICITY DECORATION

6: SOFT DECORATION ORDER

DIAMETER (M):3/4/5/6/7


HEIGHT (M): 2/2.5/3/3.5/3.5

INDOOR AREA (M2): 7 / 12.56 / 19.63 / 22.26 / 38.46

PLATFORM REFERENCE AREA (M2): 10 / 15 / 25 / 35 / 40



LOTUS TENT



COLOUR OFF WHITE, MULTI-COLOR OPTIONAL

ADVENTITIA ACCOUNT

300GSM POLYESTER COTTON, PU COATING, WATERPROOF

TENT BOTTOM

540GSM, CRACK RESISTANT PVC, WATERPROOF

STRUCTURE Q235 STEEL PIPE

Ф**32*1.2ММ**

OPTIONAL 1: FLOOR LAYING

2: WALL DECORATION

3: PARTITION DECORATION

4: BATHROOM DECORATION

5: WATER AND ELECTRICITY DECORATION

6: SOFT DECORATION ORDER

DIAMETER (M): 4/5/6

HEIGHT (M): 2.85 / 3.15 / 3.5

INDOOR AREA (M2): 12.56 / 19.63 / 28.26

PLATFORM REFERENCE AREA (M2): 15 / 25 / 35



MONOMER
INDIAN TENT

COLOUR

KHAKI, MULTI-COLOR OPTIONAL

PVC/OXFORD/CANVAS
WATERPROOF WATER PRESSURE (WP7000)
UV PROTECTION (UV50+)
FLAME RETARDANT GRADE: B1, M2
ANTI-MILDEW
USE PERIOD OF MORE THAN 5 YEARS

STRUCTURE

ROUND SOLID WOOD+Q235 STEEL PIPE

\$\Phi70/120*6100MM\$
\$\Phi70/130*6800MM\$

OPTIONAL

1: FLOOR LAYING
2: WALL DECORATION
3: PARTITION DECORATION
4: BATHROOM DECORATION
5: WATER AND ELECTRICITY DECORATION
6: SOFT DECORATION ORDER

DIAMETER (M): 8 / 10
HIGH EAVES (M): 11 / 13

HIGH EAVES (M): 11/13

HIGH EAVES (M): 2.1 / 2.1

TOP HEIGHT (M): 5.5 / 7

INDOOR AREA (M2): 50 / 80

SIZES CAN BE CUSTOMIZED*



CONJOINED INDIAN TENT

COLOUR	WHITE, MULTI-COLOR OPTIONAL
ADVENTITIA	PVC/OXFORD/CANVAS
	WATERPROOF WATER PRESSURE (WP7000)
	UV PROTECTION (UV50+)
	FLAME RETARDANT GRADE: B1, M2
	ANTI-MILDEW
	USE PERIOD OF MORE THAN 5 YEARS
STRUCTURE	Q235 STEEL PIPE+ROUND SOLID WOOD
	GALVANIZED, PAINTED, ANTI-RUST TREATMENT
	USE PERIOD OF MORE THAN 15 YEARS
STANDARD	DOUBLE GLASS DOORS
OPTIONAL	1: FLOOR LAYING
	2: WALL DECORATION
	3: PARTITION DECORATION
	4: BATHROOM DECORATION
	5: WATER AND ELECTRICITY DECORATION
	6: SOFT DECORATION ORDER
	SPAN (M): 6 / 8 / 10
	LENGTH (M):6/8/10
	HEIGHT (M): 4.5 / 6 / 7.5
	INDOOR AREA: 36 / 64 / 100
	PLATFORM REFERENCE AREA (M2): 50 / 80 / 120
	SIZES CAN BE CUSTOMIZED*





Desert



Forest



Grass



Mountain



Park



Riverside




Sea



Snow



Village



Interior Configuration

- Flexible decoration
- More comfortable

Closer to nature

■ Enjoy our life



















Dimention of Dome Tent

Customized sizes available



	Capacity	Frame	Floor	Height	Diameter
	2-3 persons	20*1.5mm	7.07m²	2.1m	3m
	3-4	20*1.5mm	12.56m²	2.4m	4m
4m 5m 6m 7m	8-10	26*1.5mm	19.63m²	3.1m	5m
In Stock Ready to Ship	10-15	26*1.5mm	28.26m ²	3.5m	6m
Ready to Ship	20-25	26*1.5mm	38.5m²	4m	7m
	25-30	32*1.5mm	50.24m²	4.5m	8m
	50-70	32*1.5mm	78.5m ²	5.5m	10m
	120-150	42*2mm	177m²	7.5m	15m
	250-300	42*2mm	314m²	10m	20m
	500-600	48*2mm	707m²	14m	30m
	600-800	20*1.5mm	961m²	15m	35m
	800-1000	60*2/60*2.5	1256m²	15m	40m
	More than 1000	60*2.5/60*3	1590m²	16m	45m
	More than	60*2.5/60*3	1963m²	16/17m	50m

Custom Your Dome



More options of **Cover Color**












More accessories **Contact Us!**





Bay Window (Most Popular)



All Transparent







12mm Aluminum 2-layer Insulation

Luxury Soft 40



Chimney

Suitable for cold area

Designs of our Event Dome

Any shape of event dome can be customized with over 10 years of experience



1/3 transparent Double swing door + window



All transparent Double swing door + window



Circle door

Multi-structure dome



Custom bay Double swing door +



Multi-structure dome

AMI's Advantage

Working Temperature Range: -30 °C to 70°C Our dome tent has two-layer of cover fabric and insula-

tion liner. It is suitable for living in various weather conditions from -30°C to 70°C. It will be perfectly fitted in colder or hotter weather with the optional floor heating, air conditioning, fireplace, or other configurations.



Wind Load: 80-120km/h

The wind resistance of the tent depends on the connection method of the base. Ourglamping dome tent has a solid foundation and can witstand level 12 typhoons, with a snow load of 0.30kN/m.



Life Span: Frames 20+ years. covering fabric 8-10 years

The lifespan of a tent mainly depends on the performance of the cover tarpaulin, which is generally 8-10 years of life. Our cover fabric is tear-resistant, durable, waterproof, fire retardant, mold-proof, and anti-corrosion.




The total static weight that can be supported over the entire dome is usually greater than any normal snow load it will have to support, as snow does not easily accumulate on a round roof. If the snow on the dome reaches 15cm, you should remove it with a broom or similar tool in order to prevent damage to the dome cover.




100% waterproof \ UV resistant \ Tear-resistant

All the materials of our domes have

passed the environmental testing.



Our Projects All Over The World



CONTACT US

ADDRESS

Bousher Muscat City, Sultanate of Oman, P.O. Box 60 PC 118 Al Harthy Complex

PHONE

(968) 2447 6280

EMAIL

inquiry@almistfatllc.com

